





TRAVELED UNIMPROVED STREET



ROADWAY SHOULDER



PUBLIC STREET



UNTRAVELED EASEMENT

1. FOR PIPE ZONE REQUIREMENTS, SEE STD. PLANS SS-4.0 (RIGID PIPE) AND/OR SS-4.1 (FLEXIBLE PIPE).
2. ALL EXISTING PAVED SURFACES SHALL BE RESTORED PER STD. DETAIL TR-5.07A & TR-5.07B.
3. TRENCH BACKFILL CONSTRUCTION SHALL BE PER WSDOT 7-08.3(3).
4. TRENCH BACKFILL MATERIAL SHALL BE TOP COURSE PER WSDOT 9-03.9(3).
5. TRENCH BACKFILL MATERIAL SHALL BE COMPACTED TO 95% OF THE STANDARD PROCTOR (AASHTO T99).
6. ALL BACKFILL SHALL BE MECHANICALLY COMPACTED IN LIFTS WHICH IN NO CASE EXCEED 12" LOOSE.

N.T.S.

TRENCH BACKFILL

STANDARD DETAIL

CITY OF BATTLE GROUND
APPROVED

Ryan M. Jaynes 5/11/25
CITY ENGINEER DATE

REVISIONS:	DATE:	DRAWN:	DESIGNED:
1	8/12/98	BSG	GGH
2	8/30/05	ALL	MCH
3	3/28/07	JMH	MCH
4	5/11/25	RMJ	RMJ

SS-4.2